

**Materia
Medica
of
Homoeopathic
Medicines**

Second Edition-Revised & Enlarged

Dr S.R. Phatak

| | | |
|-------------------|-------------------------------|---------------------|
| AMBRA GRISEA | | Lock-jaw of newborn |
| ARNICA MONTANA | Generalities | Surgery |
| | Female | Obstetrics |
| | Eyes | Eye surgery |
| ARSENIC ALB | Urinary | Obstetrics |
| BELLIS PERENNIS | Generalities | Surgery |
| BERBERIS VULGARIS | Generalities | Surgery |
| | Neck & Back | |
| BORAX | Female | Gynaecology |
| CALCAREA CARB. | Female | Gynaecology |
| CALCAREA FLUOR. | Generalities | Surgery |
| CALENDULA | Generalities | Surgery |
| | Female | Obstetrics |
| CANTHARIS | Generalities | Surgery |
| CAUSTICUM | Urinary | Surgery |
| | Female | Gynaecology |
| CHAMOMILLA | Generalities, Eyes | Obstetrics & |
| | Female | Pediatrics |
| CHIMAPHILA | Urinary | Surgery |
| CICUTA | Injuries (See under-Worse) | Surgery |
| | Urinary | |
| COLLINSONIA | Abdomen | Surgery |
| | Female | Obstetrics |
| CONIUM | Female | Obstetrics |
| CROCUS SATIVUS | Stomach | Surgery |
| | Female | Obstetrics |
| CYCLAMEN | Female | Obstetrics |

| | | |
|-----------------|--------------|-------------------|
| DULCAMARA | Urinary | Surgery |
| ECHINACEA | Generalities | Cancer Surgery |
| ERIGERON | Female | Gynaecology |
| EUPHRASIA | Eyes | Eye Surgery |
| FRAXINUS | | Gynaecology |
| GELSEMIUM | Eyes | Eye Surgery |
| | Female | Gynaecology |
| HAMAMELIS | Generalities | Surgery |
| | Eyes | Eye Surgery |
| HEPAR SULPH | Generalities | Surgery |
| | Urinary | |
| | Eyes | Eye Surgery |
| HYOSCYAMUS | Urinary | Obstetrics |
| | Female | |
| HYPERICUM | | Surgery |
| IRIS VERSICOLOR | Stomach | Pediatrics |
| JABORANDI | Eyes | Eye Surgery |
| | Stomach | Obstetrics |
| KALI BROM | Female | Gynaecology |
| LACHESIS | Generalities | Surgery |
| LEDUM PAL | Generalities | Surgery |
| LEPTANDRA | Abdomen | Surgery |
| LILIUM TIGRINUM | Generalities | Obstetrics |
| | Urinary | Gynaecology |
| | Female | |
| LYCOPODIUM | Urinary | Surgery |
| | Male | |

| | | |
|---------------------|--|------------------------|
| MAGNESIA MUR | Generalities Female | Obstetrics |
| MAGNESIA PHOS | Generalities Urinary | Surgery |
| MERCURIUS | Generalities Abdomen Urinary, Male | Surgery |
| MEZERIUM | Eyes | Eye Surgery |
| MILLEFOLIUM | Generalities Female | Surgery Obstetrics |
| MURIATIC ACID | Abdomen Urinary | Surgery |
| NAPHTHALINE | | Eye Surgery |
| NATRUM MUR | Female | Gynaecology |
| NATRUM SULPH | Mind | Surgery |
| NITRIC ACID | Abdomen Female | Surgery Gynaecology |
| NUX MOSCHATA | Female | Gynaecology |
| NUX VOMICA | Abdomen | Pediatrics |
| OPIUM | Head, Abdomen Urinary | Surgery |
| PARIS QUADRIFOLIA | Generalities | Surgery |
| PETROLEUM | Abdomen Urinary Female | Surgery Gynaecology |
| PETROSELINUM | Pediatrics | |
| PHOSPHORICUM ACIDUM | Generalities Stomach Abdomen Female | Surgery Gynaecology |

| | | |
|---------------------|-----------------------------------|---|
| PHYSOSTIGMA SURGERY | Eyes | Eyes |
| PHYTOLACCA | Female | Gynaecology |
| PLATINUM | Generalities Mind Female | Gynaecology |
| PLUMBUM | Abdomen Urinary Female | Surgery Gynaecology |
| PSORINUM | Female | Obstetrics |
| PULSATILLA | Female | Gynaecology Obstetrics |
| RATANHIA | Generalities Abdomen Female | Obstetrics Surgery Gynaecology |
| RHEUM | Generalities | Pediatrics |
| RHODODENDRON | Male | Surgery |
| RHUS TOX | Abdomen | Surgery |
| SABAL SERRULATA | Generalities | Surgery |
| SAMBUCUS | Male | Surgery |
| SECALE | Urinary Female | Surgery Obstetrics |
| SENEGA | Generalities Eyes | Eye Surgery |
| SEPIA | Generalities Female | Gynaecology Surgery Gynaecology Obstetrics |

| | | |
|---------------------|---------------|-------------|
| SILICA | Generalities | Surgery |
| | Eyes | Eye Surgery |
| | Urinary | Surgery |
| | Male | Surgery |
| | Female | Gynaecology |
| SPIGELIA | Eyes | Eye Surgery |
| STANNUM | Female | Gynaecology |
| STAPHISAGRIA | Generalities | Surgery |
| | Female | Gynaecology |
| SULPHURICUM ACIDUM | Generalities | Surgery |
| | Urinary | |
| | Eyes | Eye Surgery |
| | Abdomen | Surgery |
| | | |
| SYMPHYTUM | Generalities | Surgery |
| SYPHILINUM | Eyes | Eye Surgery |
| | Female | Obstetrics |
| | Extremities | Surgery |
| | | |
| TABACUM | Generalities | Surgery |
| | Abdomen | |
| TARENTULA CUBENSIS | Generalities | Cancer |
| TARENTULA HISPANICA | Generalities | Surgery |
| | Female | Gynaecology |
| | Neck and Back | Surgery |
| | | |
| TELLURIUM | Generalities | Surgery |
| | Eyes | Eye Surgery |
| | Neck and Back | Surgery |
| | Extremities | |
| | | |
| TEREBINTHINA | Female | Gynaecology |

| | | |
|--------------|----------------------|-------------|
| THUJA | Eyes | Eye Surgery |
| | Abdomen | Surgery |
| | Female | Obstetrics |
| THYROIDINUM | Generalities | Surgery |
| TRILLIUM | Female | Obstetrics |
| | | Gynaecology |
| USTILAGO | Female | Gynaecology |
| VERBASCUM | Trigeminal neuralgia | |
| VIBURNUM | Female | Obstetrics |
| XANTHOXYLLUM | Female | Gynaecology |
| ZINCUM MET | Concussion of brain | |
| | Abdomen | Surgery |
| | Urinary | |

Contents

| | |
|-------------------------------|----|
| ABIES CANADENSIS | 1 |
| ABIES NIGRA | 2 |
| ABROTANUM | 2 |
| ABSINTHIUM | 4 |
| ACETIC ACID | 5 |
| ACONITE | 6 |
| ACTEA SPICATA | 11 |
| ADONIS VERNALIS | 11 |
| AESCULUS HIPPOCASTANUM | 12 |
| AETHUSA CYNAPIUM | 15 |
| AGARICUS MUSCARIUS | 18 |
| AGNUS CASTUS | 22 |
| AGRAPHIS NUTANS | 23 |
| AILANTHUS GLANDULOSA | 24 |
| ALETERIS FARINOSA | 25 |
| ALFALFA | 27 |
| ALLIUM CEPA (Red onion) | 27 |
| ALLIUM SATIVUM (Garlic) | 29 |
| ALOE | 30 |
| ALUMEN (Alum) | 33 |
| ALUMINA | 34 |
| ALUMINA SILICATA | 38 |
| AMBRA GRISEA | 39 |
| AMBROSIA | 42 |
| AMMONIUM BROMATUM | 42 |
| AMMONIUM CARBONICUM | 42 |
| AMMONIUM MURIATICUM | 45 |
| AMYL NITROSUM | 48 |
| ANACARDIUM | 49 |
| ANTHRACINUM | 53 |
| ANTIMONIUM CRUDUM | 53 |
| ANTIMONIUM TARTARICUM | 58 |
| APIS MELLIFICA | 61 |
| APOCYNUM CANNABINUM | 66 |

| | |
|--------------------------------------|-----|
| ARALIA RACEMOSA | 68 |
| ARANEA DIADEMA | 69 |
| ARGENTUM METALLICUM | 70 |
| ARGENTUM NITRICUM | 73 |
| ARNICA MONTANA | 78 |
| ARSENICUM ALBUM | 82 |
| ARSENICUM IODATUM | 88 |
| ARSENICUM SULPHURATUM FLAVUM | 90 |
| ARTEMISIA VULGARIS | 90 |
| ARUM TRIPHYLLUM | 91 |
| ASAFOETIDA | 92 |
| ASARUM EUROPAEUM | 95 |
| ASCLEPIAS TUBEROSA | 97 |
| ASTACUS FLUVIATILIS | 98 |
| (See Cancer Fluviatilis) | 98 |
| ASTERIAS RUBENS (RED STARFISH) | 98 |
| AURUM METALLICUM | 99 |
| AURUM MURIATICUM | 103 |
| AVENA SATIVA | 103 |
| BACILLINUM | 103 |
| BADIAGA | 104 |
| BAPTISIA TINCTORIA | 105 |
| BARYTA CARBONICA | 108 |
| BARYTA IODATA | 111 |
| BARYTA MURIATICA | 112 |
| BELLADONNA | 113 |
| BELLIS PERENNIS | 118 |
| BENZINUM | 119 |
| BENZINUM NITRICUM | 120 |
| BENZOICUM ACIDUM | 120 |
| BERBERIS AQUIFOLIUM | 122 |
| BERBERIS VULGARIS | 122 |
| BISMUTHUM | 125 |
| BORICUM ACIDUM | 127 |
| BORAX | 127 |
| BOTHROPS LANCIOLATUS | 131 |
| BOVISTA | 131 |

| | |
|---|-----|
| BROMIUM | 134 |
| BRYONIA ALBA..... | 136 |
| BUFO | 140 |
| BURSA PASTORIS | 143 |
| CACTUS GRANDIFLORUS | 144 |
| CADMIUM SULPHURATUM | 146 |
| CALADIUM SEGUINUM | 148 |
| CALCAREA ARSENICOSA | 150 |
| CALCAREA CARBONICA..... | 151 |
| CALCAREA FLUORICA | 157 |
| CALCAREA HYPOPHOSPHOROSA | 159 |
| CALCAREA IODATA | 160 |
| CALCAREA PHOSPHORICA | 160 |
| CALCAREA SULPHURICA..... | 164 |
| CALENDULA | 165 |
| CAMPORA | 166 |
| CANCER FLUVIATILIS (Astacus fluviatilis)..... | 169 |
| CANNABIS INDICA & SATIVA..... | 170 |
| CANTHARIS | 172 |
| CAPSICUM | 175 |
| CARBO ANIMALIS | 178 |
| CARBO VEGETABILIS | 181 |
| CARBOLICUM ACIDUM | 186 |
| CARBONEUM SULPHURATUM | 188 |
| CARCINOSIN | 188 |
| CARDUUS MARIANUS | 188 |
| CASTOR EQUI | 190 |
| CASTOREUM | 190 |
| CAULOPHYLLUM | 191 |
| CAUSTICUM | 193 |
| CEANOOTHUS | 199 |
| CEDRON | 199 |
| CHAMOMILLA | 200 |
| CHELIDONIUM | 204 |
| CHENOPODIUM ANTHELMINTICUM | 207 |
| CHIMAPHILA UMBELLATA | 207 |
| CHINA OFFICINALIS | 208 |

| | |
|---------------------------------|-----|
| ROBINIA | 605 |
| RUMEX CRISPUS | 606 |
| RUTA GRAVEOLENS | 608 |
| SABADILLA | 610 |
| SABAL SERRULATA | 613 |
| SABINA | 615 |
| SALICYLICUM ACIDUM | 617 |
| SALIX NIGRA | 617 |
| SAMBUCUS NIGRA | 617 |
| SANGUINARIA CANADENSIS | 618 |
| SANICULA (Aqua) | 621 |
| SANTONINUM | 624 |
| SARSAPARILLA | 624 |
| SCILLA MARITIMA (Squilla) | 626 |
| SCOPARIUS | 628 |
| SECALE CORNUTUM | 629 |
| SELENIUM | 632 |
| SENECIO | 635 |
| SENEGA | 637 |
| SEPIA | 639 |
| SILICEA | 645 |
| SOLIDAGO VIRGA | 651 |
| SPIGELIA | 653 |
| SPONGIA | 655 |
| STANNUM | 658 |
| STANNUM IODIDE | 661 |
| STAPHYSAGRIA | 661 |
| STICTA | 665 |
| STRAMONIUM | 667 |
| STRONTIUM CARBONICUM | 671 |
| STROPHANTHUS HISPIDUS | 673 |
| STRYCHNINUM | 674 |
| SUCCINUM | 674 |
| SULPHONAL | 675 |
| SULPHUR | 675 |
| SULPHURICUM ACIDUM | 682 |
| SULPHUR IODATUM | 685 |

| | |
|-------------------------------|-----|
| SUMBUL | 687 |
| SYMPHORICARPUS RACEMOSA | 688 |
| SYMPHYTUM | 688 |
| SYPHILINUM | 689 |
| TABACUM | 693 |
| TARAXACUM | 695 |
| TARENTULA CUBENSIS | 697 |
| TARENTULA HISPANIA | 698 |
| TELLURIUM | 701 |
| TEREBINTHINA | 703 |
| THALLIUM | 705 |
| THERIDION | 706 |
| THIOSINAMINUM | 708 |
| THUJA OCCIDENTALIS | 708 |
| THYMOL | 713 |
| THYROIDINUM | 713 |
| TILIA EUROPA | 715 |
| TRIFOLIUM PRATENSE | 716 |
| TRILLIUM | 716 |
| TROMBIDIUM | 717 |
| TUBERCULINUM | 717 |
| URANIUM NITRICUM | 721 |
| URTICA URENS | 721 |
| USTILAGO MAYDIS | 722 |
| VACCININUM | 723 |
| VALERIANA | 724 |
| VANADIUM | 726 |
| VARIOLINUM | 726 |
| VERATRUM ALBUM | 727 |
| VERATRUM VIRIDE | 731 |
| VERBASCUM | 734 |
| VESPA CRABRO | 735 |
| VIBURNUM OPULUS | 735 |
| VINCA MINOR | 737 |
| VIOLA ODORATA | 738 |
| VIOLA TRICOLOR | 739 |
| VIPERA | 740 |

ABIES CANADENSIS

GENERALITIES: It affects the mucous membranes and nerves. In stomach it causes a catarrhal condition, which increases the patient's hunger and craving for coarse food, such as pickles, radishes, turnips, etc. Patient wants to lie down all the time on account of nervous weakness and feels faint. In women it causes uterine displacement due to defective nutrition and debility. Peculiar sensations are — right lung and liver feel hard and small; uterus feels soft. Lies with the legs drawn up.

MIND: Easily fretful or quiet and careless.

HEAD: Feels as if it is light or there is a swimming sensation in the head.

STOMACH: Ravenous appetite. Tendency to eat far beyond the capacity of digestion. Distention of abdomen and stomach, with palpitation.

FEMALE: Sore feeling at the uterus, > pressure. Uterus feels soft and feeble.

FEVER: Cold shivering, sensation as if blood were ice-water.

SKIN: Clammy and sticky.

ABIES NIGRA

GENERALITIES: It is a useful remedy in many diseased conditions when they are associated with gastric symptoms. It causes dyspepsia with functional heart symptoms, especially in the aged persons. It is also useful in indigestion of those who abuse the drinking of tea and smoking, or chewing of tobacco. The chief symptom in dyspepsia is a sensation as if a hard-boiled egg has lodged in the cardiac end of the stomach. Patient describes this sensation: as if a hard lump is felt in the pit of stomach or in the lung which he wants to cough out.

WORSE: After eating.

MIND: Very low-spirited, unable to think or study.

STOMACH: Total loss of appetite in the morning, but craves food at noon and at night. Pain in the stomach always comes on after eating.

CHEST: Difficult breathing < lying down. Heart's action heavy and slow, there may be tachycardia or bradycardia.

ABROTANUM

GENERALITIES: It affects nerves, causing numbness, weakness, trembling and paretic conditions. It is the remedy for marasmus in children when nutrition is affected. In spite of good appetite children emaciate, especially in lower extremities. It causes *true metastatic condition*. Rheumatism occurs after checked diarrhea. Gout recedes and other troubles follow. It has *exudative tendency*. Exudation may occur, as a metastatic condi-

tion or otherwise, into pleura, joints, etc. It also causes alternating conditions, one disease condition disappears and another appears, e.g., piles alternating with rheumatism. It is suitable to newborn or children, especially boys, who suffer from hydrocele, epistaxis; it removes weakness remaining after influenza. Oozing of blood and moisture in newborn from navel. Vomiting of large quantities of offensive fluid. Effects remaining after operation on chest.

WORSE: Cold air; wet. Checked secretions, esp. diarrhea. Night. Fog.

BETTER: Loose stools. Motion.

MIND: Great anxiety and depression. Cross and irritable (children in marasmus). Thinking difficult; loss of comprehension. Inhuman; would like to do something evil, cruel.

HEAD: Cannot hold the head up on account of weakness of neck. Brain feels tired, after conversation or mental effort. Veins distended on forehead.

EYES: Blue ring around the eyes. Hollow.

NOSE: Epistaxis in boys.

FACE: Dry, cold, wrinkled, as if old, in marasmus. Acne, with emaciation. Angioma of the face. Pale.

STOMACH: Emaciation progresses, with good appetite. Food passes undigested. Craving for bread, boiled in milk. Cutting, gnawing, burning pain in stomach at night in gastralgia. Feels as if stomach is swimming in water, with coldness.

ABDOMEN: Hard lumps are felt in different parts of abdomen. It is bloated. Tuberculous peritonitis. Weak, sinking feeling in bowels. Piles, protruding, with burning from touch. Frequent desire to stool but only a little blood passes.

MALE: Hydrocele of children.

FEMALE: Darting pain in left ovary. Menses suppressed.

RESPIRATORY: Dry cough, following diarrhea. Pressing sensation remains after pleurisy in the affected side impeding free breathing.

BACK: Sudden aching pain in the back < night > motion. Pain in sacrum due to piles. Back weak, with ovarian pain.

EXTREMITIES: Pain in shoulders, arms, wrists and ankles. Legs greatly emaciated. Cold, prickling, numb fingers and toes. Inability to move the limbs due to rheumatism. Contraction of limbs, from cramps or following colic.

SKIN: Loose and flabby. Skin becomes purplish, after suppression of eruption. Itching chilblain.

FOLLOWS WELL: Acon. and Bry. in pleurisy.

RELATED: Agar.; Chin.; Led.; Nux-v.

ABSINTHIUM

GENERALITIES: It causes convulsion, preceded by trembling. The patient bites tongue, foams at mouth and makes grimaces. Tremor is a marked feature, tremor of tongue, heart. Sudden and severe giddiness; epileptiform seizures, delirium with hallucinations and loss of consciousness. Attacks occur in rapid succession. It is a useful remedy for nervousness, excitement and sleeplessness, in children. Chorea. Opisthotonos.

MIND: Vertigo, with tendency to fall backward. Forgets what has recently happened, after and before convulsion. Wants nothing to do with anybody. Brutal insanity. Kleptomania.

EAR: Discharge; after headache.

FACE: Spasmodic twitching. Foolish look.

URINE: Very strong urine, of deep yellow colour.

HEART: Tumultuous action, beats can be heard in back.

FEMALE: Menopause, premature.

RELATED: Art-v.; Cic.; Cina.; Hydr-ac.

ACETIC ACID

GENERALITIES: The leading symptoms of this drug are profound anemia, with waxy pallor of the face; excessive emaciation; great debility; frequent fainting; difficult breathing; weak heart; profuse urination, vomiting; and sweat. It antidotes the effects of all anesthetic vapors. In convulsions, patient jumps out of bed like a madman and crawls on the floor. It is a remedy for general anasarca and dropsical affections. Hemorrhage from nose, stomach, rectum, lung, ulcer, etc. Child wants to be carried. Nevi, warts, corns.

MIND: Grieves about his sickness and his children. Worried about business affairs. Borrows trouble. Does not know her own children. Forgets what has recently happened.

HEAD: Aches from abuse of narcotics, tobacco. Child does not let its head be touched.

FACE: Left cheek red during fever. Pale, waxen, emaciated.

NOSE: Epistaxis, esp. from fall or blow.

THROAT: Children thirsty, but swallow with difficulty, even a teaspoonful (diphtheria).

STOMACH: No thirst with fever. Great thirst with dropsy. Violent burning pain in stomach and chest, followed by

coldness of skin, and cold sweat on forehead. Vomiting after every type of food. Ulcer, cancer of the stomach. Cold drinks disagree; vegetables, except potatoes disagree. Bread and butter disagree.

ABDOMEN: Tympanitis. Ascites. Hemorrhage from bowels. Chronic diarrhea of emaciated children. Scirrhus of pylorus.

URINARY: Large quantity of pale urine. Diabetes, with great thirst and debility.

FEMALE: Metrorrhagia, with great thirst; after parturition. Threatening abscess of the breast. Milk impoverished, bluish, sour; suckling droops, (Sagging breasts due to laxity of muscle fibres) lose flesh, get marasmic.

RESPIRATORY: Cough when inhaling. Hurried and laborious breathing. Rattling in chest.

BACK: Pain (myelitis) relieved only by lying on abdomen; with profuse urination.

EXTREMITIES: Edematous swelling of feet and legs, with diarrhea.

SKIN: Diminished sensibility of the whole body. Burning, dry skin.

FEVER: Hectic, with drenching night sweats; sweat profuse and cold.

RELATED: Follows China after hemorrhage.

ACONITE

GENERALITIES: The rapidity of action of Acon determines its symptomatology. Its symptoms are *acute, violent and painful*. They appear *suddenly*, remain for a short while, as a big storm, which soon blows over. Mind is affected by such emotional factors, as FRIGHT, SHOCK,

VEXATION. Nerves are excited and the patient remains under emotional and nervous tension. *Neuralgic pains are very intense. Fear is intense*, so much so that the patient becomes *frantic, screams, groans, gnaws the fist, bites the nails, wants to die*. Fear or fright remains. Fear accompanying most trifle ailments. *Heart and arterial circulation* is affected strongly producing congestion to the head (often apoplectic), and chest. It is a remedy for acute *inflammation* and congestion. *Hemorrhages are bright red. Pains are sticking, tearing. Sensations of burning, numbness, tingling, prickling, or crawling is marked.* Parts feel big or deformed. External soreness, with internal heaviness. Sudden loss of strength — *collapse. Special senses acute.* Part remains sore or *numb after the pain.* Convulsion. Faintness. Children put their hands on the affected part. Complaints caused by exposure to cold, dry weather, especially respiratory affections. Gastro-intestinal disturbances are caused by exposure to very hot weather. It is adapted to persons of robust habits. Complaints after surgical shocks and injury, or checked perspiration. Remote effects of fright. Cries out and grasps the genitals. Crepitation.

WORSE: *Violent emotions, FRIGHT, SHOCK, vexation. Chilled by COLD, dry weather, while sweating. Pressure, touch. Night, in bed, p.m. Lying on side. Noise. Light. Dentition. During menses. Sleeping in the sun. Music. Tobacco smoke. Inspiration.*

BETTER: Open air. Repose. Warm sweat.

MIND: Great ANXIETY. Agonizing FEAR and RESTLESSNESS accompany every ailment, however trivial. *Fear of death, of crowds, or crossing the streets, of future, of touching others passing by. Impatient; besides himself; frantic; from intensity of pain.* WITH FEAR *screams, moans, gnaws the fists, bites the nails; wants to die. Afraid to go out of the house. Forebodings, predicts the time of death.*

TERROR STRICKEN. Music makes him sad. Clairvoyance. Feels as if what had just been done were a dream. Delirium. Fitful moods; laughing, singing, then sad and fearful. *Anxious, excited, nervous, feverish*. Imagines some part of the body is deformed. Imagines he does all his thinking from stomach.

HEAD: Heavy, *hot*, bursting. *Burning*; undulating sensation in the head as of a hot band about head, or boiling heat in brain. Violent squeezing or bursting in forehead or eyes. Headache with increased secretion of urine. Vertigo, < on rising or any other motion of the head or of the body as if hair were pulled or stood on end. Crackling in head. Pulsation in forehead. Knocks the head.

EYES: Feel dry and hot as if sand in them. Lids swollen, hard and red. Shooting pain in eyeballs. Cannot bear the reflection of sun from the snow. Conjunctivitis from cinders or other foreign bodies. Eyes glitter, stare, bleary. Aversion or desire for light.

EARS: Very sensitive to noise. Music is unbearable. Sensation as of a drop of water in the ear.

NOSE: Numb with epistaxis. Smell acutely sensitive. Pain at the root of the nose. Nose dry, stopped up or runs, hot scanty watery discharge.

FACE: ANXIOUS expression; becomes pale and red alternately. *Hot, red cheeks*. Red face becomes deathly pale on rising or he becomes dizzy. One cheek red hot, other pale and cold. Neuralgia with restlessness, tingling and numbness. Lips black, dry, peeling off. Heavy feeling of the whole face.

MOUTH: Toothache in sound teeth. Throbbing in teeth and head. Grinding of the teeth. Gums hot and inflamed. Tongue feels as if swollen. Everything tastes bitter except water, which has bad taste. Trembling and tem-